




K 2 Compact

Highly compact, easy to transport and easy to stow away: The K 2 Compact pressure washer for light dirt around the home. $20 \text{ m}^2/\text{h}$ area performance.






- 1 Hose storage on the front cover
- The hose can be conveniently hung up on the front cover.
- 3 Easy Connect
- The high-pressure hose is quick and easy to click in and out of the device and trigger gun.

- 2 Sits comfortably in the hand
- The device is easy to transport. When the carrying handle is not needed, it disappears into the housing.
- 4 Integrated accessory storage on the device
- Spray lances are always within easy reach and everything can be compactly stored on the device once cleaning is complete.

TECHNICAL DATA AND EQUIPMENT





K 2 Compact

- Thanks to Easy Connect, the highpressure hose is easy to handle, clicking quickly in and out of the device and trigger gun
- Spray lance storage

Technical data		
Order no.		1.673-500.0
EAN code		4054278451596
Current type	V / Hz	220 - 240 / 50 - 60
Pressure	bar / MPa	110 / 11
Flow rate	l/h	max. 360
Inlet temperature	°C	max. 40
Area performance	m²/h	20
Connected load	kW	1.4
Weight without accessories	kg	3.74
Dimensions (L × W × H)	mm	180 × 219 × 389

Equipment		
High-pressure spray gun		G 120 Q
Vario Power Jet		-
One-jet spray lance		I
Dirt Blaster		1
High-pressure hose	m	4
Quick Connect on the side of the device	ce	1
Detergent application via		Suction
Integrated water filter		1
A3/4" garden hose connector adapter		I
Telescopic handle		I

■ Included in the scope of supply.































П
П
П
Н
Н
'l_
t 🗆
П
\vdash
Ш
1
\forall
\vdash
) y































		,		1			
		Order no.				Pric	e Description
VP 180 S vario power jet short	16	2.643-254.0					VP 180 S: The vario power jet short 360° with infinitely
360° for K 2-K 7							variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.
VP 120 vario power jet for K 2-K 3	17	2.642-724.0					Vario power spray lance for pressure washers in classes K 2 to K 3. Continuously adjustable from low-pressure detergent
DB 120 dirt blaster for K 2-K 3	18	2.642-727.0					jet to high-pressure jet, simply by turning the spray lance. Dirt blaster with powerful entry rotary nozzle for Kärcher
BB 120 dirt blaster for K 2 K 3	10	2.042 727.0					pressure washers in classes K 2 and K 3. For particularly stubborn dirt like that on mossy or weathered surfaces.
Telescopic spray lance	19	2.642-347.0					Telescopic spray lance (1.20 m - 4 m) for easy cleaning of
							difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun.
Trigger guns							Weight: ca. 2 kg
G 180 Q Quick Connect trigger gun	20	2.642-889.0					The new G 180 Q spray gun with Quick Connect is 13 cm longer and is now even more convenient to use and more
							ergonomic when cleaning with Kärcher pressure washers.
High-pressure replacement hose: W			nd Quick Connec	t system	1 1		the second second
H 10 Q Flex PremiumFlex anti twist	21	2.643-585.0					Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in
							the K 4 to K 7 ranges.
High-pressure replacement hose: sy	i	1	uick Connect sy	stem			One high account made contact have for K 2 to K 7 account
H 9 Q high-pressure hose Quick Connect	22	2.641-721.0					9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.
High-Pressure replacement hose ki	t syste	m from 1992			<u>'</u>	'	
Extension hose adapter kit	23	2.643-037.0					Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.
High-pressure extension hose: Syst	em foi		ick Connect syste	em			
XH 6 Q extension hose Quick Connect	24	2.641-709.0					High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.
Pipe cleaning		,			, ,		
PC 20 roof gutter and pipe cleaning kit	25	2.642-240.0					The gutter and pipe cleaning kit works all by itself – with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.
PC 15 pipe cleaning kit	26	2.637-767.0					Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.
PC 7.5 pipe cleaning kit	27	2.637-729.0					Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.
Foam jet							
FJ 6 foam jet	28	2.643-147.0					FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.
FJ 10 C Connect 'n' Clean foam jet + Ultra Foam Cleaner	29	2.643-143.0					Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click.











		Order no.		F	Price	Description	
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	30	2.643-144.0				Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click.	
Miscellaneous							
Sand and wet-blasting kit	31	2.638-792.0				Sand and wet-blasting kit for removing rust, paint and stub- born dirt using Kärcher abrasive.	
Vario joint	32	2.640-733.0				Vario joint, rotates 180° for cleaning difficult to reach areas For connection between gun and accessory or extension lance and accessory.	
Water filter	33	4.730-059.0				Water filter protects pressure washer pumps against dirt particles from dirty water.	
O-ring set	34	2.640-729.0				Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	

[☐] Available accessories.





SET D'ARROSAGE 15M-13MM

Set comprenant un tuyau d'arrosage 15 M 13 mm, une lance d'arrosage, un raccord universel, un raccord universel aquastop, une prise robinet 3/4" avec réduct. 1/2" et un support mural

CARACTÉRISTIQUES ET AVANTAGES

Flexible de 15 m 1/2" PrimoFlex®

Adaptateur de robinet G1 avec réducteur G3/4

Idéal pour l'alimentation en eau d'un nettoyeur haute pression

Système de clic

Support mural

Pistolet avec débit d'eau réglable

Raccord universel au flexible 2.645-095.0

Raccord universel au flexible avec Agua Stop 2.645-096.0

Données techniques

Diamètre	1/2*
Longueur de flexible (m)	15
Taille du filetage	G1
Poids (kg)	2
Poids avec emballage (kg)	2,1
Dimensions (L × I × h) (mm)	260 x 260 x 110
	Le raccordement de ces produits au réseau d'eau potable nécessite de respecter les exigences de la norme EN 1717. Le cas échéant, adressez-vous à un spécialiste des installations sanitaires.

Compatible avec toutes les marques connues.

Pour un rangement propre


La forme du jet est réglable, pour un jet puissant ou délicat.

Utilisable sur tous les tuyaux

Pour enlever sans risque les accessoires du flexible sans projection d'eau.

Équipement

- Jet conique
- Jet crayon





























		Order no.		Price	Description
Hose storage and hose trolley			<u>'</u>		
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0			Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0			Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0			Fully equipped watering station. With detachable hose reel, storage for nozzles and sprinklers, large storage box and fixing option for spray lances.
Hoses			·	 <u>'</u>	
Hose set for pressure washers	4	2.645-156.0			Hose set for high-pressure cleaning and garden watering. With 10 m PrimoFlex* hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.
Water supply hose set	5	2.645-258.0			Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, universal connection for taps without thread.
PrimoFlex® hose 1/2" - 20 m	6	2.645-138.0			The robust PrimoFlex* (1/2*) garden hose is a 20m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.
PrimoFlex® hose 3/4" - 25 m	7	2.645-142.0			PrimoFlex* quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.
Hose Performance Plus 1/2" -20m	8	2.645-318.0			
Hose Performance Plus 3/4" -25m	9	2.645-322.0			
Performance Premium hose, 1/2" -20 m	10	2.645-324.0			
Hose connection systems					
Universal hose coupling Plus	11	2.645-193.0			Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.
Universal hose coupling Plus with Aqua Stop	12	2.645-194.0			Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.
Universal Hose Connector with Aqua Stop	13	2.645-192.0			Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.
Universal Hose Connector	14	2.645-191.0			Universal hose connector in ergonomic design for comfortable handling.

[☐] Available accessories.